ELSEVIER

Neuroscience Letters 293 (2000) 223–226

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 293

Amouyel, P., see Lambert, J.-C., 29
Angeretti, N., see Sáez-Valero, J., 207
Antal, A., see Kéri, S., 69
Asanuma, M., see Miyazaki, I., 65
Askanas, V., see Wilczynski, G.M., 33
Assisi, L., see Mirabella, N., 147

Bagetta, G., see Richards, D.A., 183
Beart, P.M., see Mercer, L.D., 167
Beauvillain, J.-C., see Goumon, Y., 135
Benedek, G., see Kéri, S., 69
Biersack, H.-J., see Pesheva, P., 37
Björkhem, I., see Bretillon, L., 87
Bleich, S., Spilker, K., Kurth, C., Degner, D., Quintela-Schneider, M., Javaheripour, K., Rüther, E., Kornhuber, J., Wiltfang, J., Oxidative stress and an altered methionine metabolism in alcoholism, 171
Botte, V., see Mirabella, N., 147
Bouret, S., see Goumon, Y., 135
Bowery, N.G., see Richards, D.A., 183
Bravo, H., see Inzunza, O., 139
Bretillon, L., Sidén, Å., Wahlund, L.-O., Lütjohann, D., Minthon, L., Crisby, M., Hillert, J., Groth, C.-G., Diczfalusy, U., Björkhem, I., Plasma levels of 24S-hydroxycholesterol in patients with neurological diseases, 87
Bucinskaite, V., see Kurosawa, M., 9
Butler, A.B., Topography and topology of the teleost telencephalon: a paradox resolved, 95

Calikoglu, A.S., see Elder, D.A., 99
Casares, F., see Goumon, Y., 135
Cecio, A., see Mirabella, N., 147
Cha, C.I., see Chung, Y.H., 25
Chartier-Harlin, M.-C., see Lambert, J.-C., 29
Chen, W.-P., see Ko, M.-H., 195
Choi, S.-H., see Ju, W.-K., 53
Chun, M.-H., see Ju, W.-K., 53
Chung, Y.H., Shin, C.-M., Kim, M.J., Cha, C.I., Immunohistochemical study on the distribution of the type I and type II voltage-gated sodium channels in the gerbil cerebellum, 25
Coenen, A.M.L., see Jongsma, M.L.A., 83
Cottel, D., see Lambert, J.-C., 29
Crisby, M., see Bretillon, L., 87

Davidowa, H., Plagemann, A., Different responses of ventromedial hypothalamic neurons to leptin in normal and early postnatally overfed rats, 21
Dayalu, V.N., see Kalinowski, J., 115
Degner, D., see Bleich, S., 171
Dempsey, R.J., see Rao, A.M., 1
Dertwinkel, R., see Schwenkreis, P., 143
D'Ercole, A.J., see Elder, D.A., 99
Diczfalusy, U., see Bretillon, L., 87
Donai, H., Nakamura, M., Sogawa, Y., Wang, J.K.T., Urushihara, M., Yamauchi, T., Involvement of Ca^{2+}/calmodulin-dependent protein kinase II in neurite outgrowth induced by cAMP treatment and serum deprivation in a central nervous system cell line, CAD, derived from rat brain, 111

Elder, D.A., Karayal, A.F., D'Ercole, A.J., Calikoglu, A.S., Effects of hypothyroidism on insulin-like growth factor-I expression during brain development in mice, 99
Engel, W.K., see Wilczynski, G.M., 33
Findlay, G.S., Ueno, S., Harrison, N.L., Harris, R.A., Allosteric modulation in spontaneously active mutant γ-aminobutyric $acid_A$ receptors in frogs, 155
Forloni, G., see Sáez-Valero, J., 207
Frigard, B., see Lambert, J.-C., 29
Fukuda, H., see Nakaso, K., 49
Fukui, K., see Ida, T., 119
Funakoshi, A., see Kurosawa, M., 9
Gangloff, P., Louis, J.-P., Perrin, P.P., Dental occlusion modifies gaze and posture stabilization in human subjects, 203
García, M.J., see Mayas, M.D., 199
Goumidi, L., see Lambert, J.-C., 29
Goumon, Y., Bouret, S., Casares, F., Zhu, W., Beauvillain, J.-C., Stefano, G.B., Lipopolysaccharide increases endogenous morphine levels in rat brain, 135
Groth, C.-G., see Bretillon, L., 87

Hadjiargyrou, M., see Khalsa, P.S., 13
Haji, A., see Yamazaki, H., 61
Harris, J., see Lambert, J.-C., 29
Harris, R.A., see Findlay, G.S., 155
Harrison, N.L., see Findlay, G.S., 155
Hatcher, J.F., see Rao, A.M., 1
Higashi, Y., see Miyazaki, I., 65
Hillert, J., see Bretillon, L., 87
Hironaka, S., Shirakawa, T., Toki, S., Kinoshita, K., Oguchi, H., Feeding-induced c-*fos* expression in the nucleus of the solitary tract and dorsal medullary reticular formation in neonatal rats, 175
Hsieh, S.-T., see Ko, M.-H., 195
Huang, K.-L., Wu, J.-N., Lin, H.-C., Mao, S.-P., Kang, B.-H., Wan, F.-J., Prolonged exposure to hyperbaric oxygen induces neuronal damage in primary rat cortical cultures, 159

Ida, T., Nakahara, K., Kuroiwa, T., Fukui, K., Nakazato, M., Murakami, T., Murakami, N., Both corticotropin releasing factor and neuropeptide Y

PII: S0304-3940(00)01550-0

are involved in the effect of orexin (hypocretin) on the food intake in rats, 119
Inzunza, O., Serón-Ferré, M.J., Bravo, H., Torrealba, F., Tuberomammillary nucleus activation anticipates feeding under a restricted schedule in rats, 139
Ishii, T., see Nakaso, K., 49
Iwashita, S., see Tanida, M., 107
Iwatsubo, T., see Lambert, J.-C., 29

Jackson-Guilford, J., Leander, J.D., Nisenbaum, L.K., The effect of streptozotocin-induced diabetes on cell proliferation in the rat dentate gyrus, 91
Janka, Z., see Kéri, S., 69
Janssen, F., see Schwenkreis, P., 143
Jaušovec, K., see Jaušovec, N., 191
Jaušovec, N., Jaušovec, K., Differences in event-related and induced brain oscillations in the theta and alpha frequency bands related to human intelligence, 191
Javaheripour, K., see Bleich, S., 171
Jinnouchi, K., see Watanabe, K.-i., 57
Jones, N.M., see Mercer, L.D., 167
Jongsma, M.L.A., van Rijn, C.M., van Egmond, J., van Schaijk, W.J., Sambeth, A., Coenen, A.M.L., The influence of diazepam on the electroencephalogram-evoked potential interrelation in rats, 83
Ju, W.-K., Choi, S.-H., Kwon, J.-S., Kwon, O.-J., Lee, M.-Y., Oh, S.-J., Moon, J.-I., Chun, M.-H., Expression of brain/kidney protein in Müller cells of rat retina following transient ischemia, 53

Kéri, S., Antal, A., Szekeres, G., Benedek, G., Janka, Z., Visual information processing in patients with schizophrenia: evidence for the impairment of central mechanisms, 69
Kalinowski, J., Dayalu, V.N., Stuart, A., Rastatter, M.P., Rami, M.K., Stutter-free and stutter-filled speech signals and their role in stuttering amelioration for English speaking adults, 115
Kang, B.-H., see Huang, K.-L., 159
Kang, J.S., see Koh, H.C., 45
Kanno, A., Nakasato, N., Murayama, N., Yoshimoto, T., Middle and long latency peak sources in auditory evoked magnetic fields for tone bursts in humans, 187
Karayal, A.F., see Elder, D.A., 99
Katagiri, Y., see Ohkuma, M., 5
Khalsa, P.S., Zhang, C., Sommerfeldt, D., Hadjiargyrou, M., Expression of integrin $\alpha 2\beta 1$ in axons and receptive endings of neurons in rat, hairy skin, 13
Khan, S., Whelpton, R., Michael-Titus, A.T., Substance P modulation of striatal dopamine outflow is determined by M_1 and M_2 muscarinic receptors in male Wistar rats, 179
Kim, M.J., see Chung, Y.H., 25
Kinoshita, K., see Hironaka, S., 175
Kitayama, M., see Nakaso, K., 49
Ko, M.-H., Chen, W.-P., Hsieh, S.-T., Cutaneous nerve degeneration induced by acrylamide in mice, 195
Kobayashi, H., see Shiraishi, S., 211
Koh, H.C., Lee, T.K., Kang, J.S., Lee, C.H., Lee, H., Paik, D.J., Shin, I.C., Modification of cardiovascular response of adenosine A_2 receptor agonist by adenylate cyclase in the spinal cord of rats, 45
Kong, J., see Wang, Y., 17
Kornhuber, J., see Bleich, S., 171
Krieger, J.E., see Meira-Lima, I.V., 103
Kuklinski, S., see Pesheva, P., 37
Kuroiwa, T., see Ida, T., 119
Kurosawa, M., Bucinskaite, V., Miyasaka, K., Funakoshi, A., Lundeberg, T., Effects of systemic injection of interleukin-1β on gastric vagal afferent activity in rats lacking type A cholecystokinin receptors, 9
Kurth, C., see Bleich, S., 171
Kwon, J.-S., see Ju, W.-K., 53
Kwon, O.-J., see Ju, W.-K., 53
Lütjohann, D., see Bretillon, L., 87

Lamanna, C., see Mirabella, N., 147
Lambert, J.-C., Mann, D., Goumidi, L., Harris, J., Pasquier, F., Frigard, B., Cottel, D., Lendon, C., Iwatsubo, T., Amouyel, P., Chartier-Harlin, M.-C., A *FE65* polymorphism associated with risk of developing sporadic late-onset Alzheimer's disease but not with $A\beta$ loading in brains, 29
Langone, F., see Oliveira, A.L.R., 131
Le, V.Q., see Mercer, L.D., 167
Leander, J.D., see Jackson-Guilford, J., 91
Lee, C.H., see Koh, H.C., 45
Lee, H., see Koh, H.C., 45
Lee, M.-Y., see Ju, W.-K., 53
Lee, T.K., see Koh, H.C., 45
Lendon, C., see Lambert, J.-C., 29
Li, S., see Wang, Y., 17
Lin, H.-C., see Huang, K.-L., 159
Louis, J.-P., see Gangloff, P., 203
Lundeberg, T., see Kurosawa, M., 9

Malin, J.-P., see Schwenkreis, P., 143
Mann, D., see Lambert, J.-C., 29
Manuelidis, L., Yun Lu, Z., Attenuated Creutzfeldt–Jakob Disease agents can hide more virulent infections, 163
Mao, S.-P., see Huang, K.-L., 159
Martínez-Martos, J.M., see Mayas, M.D., 199
Mayas, M.D., Ramírez-Expósito, M.J., García, M.J., Tsuboyama, G., Ramírez, M., Martínez-Martos, J.M., Calcium-dependent modulation by ethanol of mouse synaptosomal pyroglutamyl aminopeptidase activity under basal and K^+-stimulated conditions, 199
Meira-Lima, I.V., Pereira, A.C., Mota, G.F.A, Krieger, J.E., Vallada, H., Angiotensinogen and angiotensin converting enzyme gene polymorphisms and the risk of bipolar affective disorder in humans, 103
Mellick, G.D., Silburn, P.A., The ubiquitin carboxy-terminal hydrolase-L1 gene S18Y polymorphism does not confer protection against idiopathic Parkinson's disease, 127
Mercer, L.D., Le, V.Q., Nunan, J., Jones, N.M., Beart, P.M., Direct visualization of cholecystokinin subtype2 receptors in rat central nervous system using anti-peptide antibodies, 167
Michael-Titus, A.T., see Khan, S., 179
Minami, M., see Ohtani, Y., 72
Minami, S.-i., see Shiraishi, S., 211
Minthon, L., see Bretillon, L., 87
Mirabella, N., Lamanna, C., Assisi, L., Botte, V., Cecio, A., The relationships of nicotinamide adenine dinucleotide phosphate-d to nitric oxide synthase, vasoactive intestinal polypeptide, galanin and pituitary adenylate activating polypeptide in pigeon gut neurons, 147
Miyasaka, K., see Kurosawa, M., 9
Miyazaki, I., Sogawa, C.A., Asanuma, M., Higashi, Y., Tanaka, K.-i., Nakanishi, T., Ogawa, N., Expression of metallothionein-III mRNA and its regulation by levodopa in the basal ganglia of hemi-parkinsonian rats, 65
Mizuta, E., see Nakaso, K., 49

Moon, J.-I., see Ju, W.-K., 53
Morrone, L.A., see Richards, D.A., 183
Mota, G.F.A, see Meira-Lima, I.V., 103
Murakami, N., see Ida, T., 119
Murakami, T., see Ida, T., 119
Murayama, N., see Kanno, A., 187

Nakagawa, M., see Ohkuma, M., 5
Nakahara, K., see Ida, T., 119
Nakamura, M., see Donai, H., 111
Nakanishi, T., see Miyazaki, I., 65
Nakasato, N., see Kanno, A., 187
Nakashima, K., see Nakaso, K., 49
Nakaso, K., Kitayama, M., Mizuta, E., Fukuda, H., Ishii, T., Nakashima, K., Yamada, K., Co-induction of heme oxygenase-1 and peroxiredoxin I in astrocytes and microglia around hemorrhagic region in the rat brain, 49
Nakazato, M., see Ida, T., 119
Nisenbaum, L.K., see Jackson-Guilford, J., 91
Nunan, J., see Mercer, L.D., 167

Ogawa, N., see Miyazaki, I., 65
Oguchi, H., see Hironaka, S., 175
Oh, S.-J., see Ju, W.-K., 53
Ohkuma, M., Katagiri, Y., Nakagawa, M., Tsuda, M., Possible involvement of light regulated gonadotropin-releasing hormone neurons in biological clock for reproduction in the cerebral ganglion of the ascidian, *Halocynthia roretzi*, 5
Ohtani, Y., Minami, M., Satoh, M., Expression of inducible nitric oxide synthase mRNA and production of nitric oxide are induced by ATP in cultured rat microglia, 72
Okazaki, M., see Yamazaki, H., 61
Oliveira, A.L.R., Langone, F., GM-1 ganglioside treatment reduces motoneuron death after ventral root avulsion in adult rats, 131
Ootsuka, Y., see Tanida, M., 107

Paik, D.J., see Koh, H.C., 45
Pasquier, F., see Lambert, J.-C., 29
Pereira, A.C., see Meira-Lima, I.V., 103
Perrin, P.P., see Gangloff, P., 203
Pesheva, P., Kuklinski, S., Biersack, H.-J., Probstmeier, R., Nerve growth factor-mediated expression of galectin-3 in mouse dorsal root ganglion neurons, 37
Plagemann, A., see Davidowa, H., 21
Probstmeier, R., see Pesheva, P., 37

Quintela-Schneider, M., see Bleich, S., 171

Rüther, E., see Bleich, S., 171
Ramírez, M., see Mayas, M.D., 199
Ramírez-Expósito, M.J., see Mayas, M.D., 199
Rami, M.K., see Kalinowski, J., 115
Randall, A., see Warre, R., 216
Rao, A.M., Hatcher, J.F., Dempsey, R.J., Neuroprotection by group I metabotropic glutamate receptor antagonists in forebrain ischemia of gerbil, 1
Rastatter, M.P., see Kalinowski, J., 115
Rebeck, G.W., Confirmation of the genetic association of interleukin-1A with early onset sporadic Alzheimer's disease, 75
Richards, D.A., Morrone, L.A., Bagetta, G., Bowery, N.G., Effects of α-dendrotoxin and dendrotoxin K on extracellular excitatory amino acids and on electroencephalograph spectral power in the hippocampus of anaesthetised rats, 183

Sáez-Valero, J., Angeretti, N., Forloni, G., Caspase-3 activation by β-amyloid and prion protein peptides is independent from their neurotoxic effect, 207
Sak, K., Are $P2Y_1$ purinoceptors expressed in turkey erythrocytes?, 78
Sambeth, A., see Jongsma, M.L.A., 83
Satoh, M., see Ohtani, Y., 72
Schwenkreis, P., Witscher, K., Janssen, F., Dertwinkel, R., Zenz, M., Malin, J.-P., Tegenthoff, M., Changes of cortical excitability in patients with upper limb amputation, 143
Serón-Ferré, M.J., see Inzunza, O., 139
Shin, C.-M., see Chung, Y.H., 25
Shin, I.C., see Koh, H.C., 45
Shiraishi, S., Yokoo, H., Kobayashi, H., Yanagita, T., Uezono, Y., Minami, S.-i., Takasaki, M., Wada, A., Post-translational reduction of cell surface expression of insulin receptors by cyclosporin A, FK506 and rapamycin in bovine adrenal chromaffin cells, 211
Shirakawa, T., see Hironaka, S., 175
Sidén, Å., see Bretillon, L., 87
Silburn, P.A., see Mellick, G.D., 127
Sogawa, C.A., see Miyazaki, I., 65
Sogawa, Y., see Donai, H., 111
Sommerfeldt, D., see Khalsa, P.S., 13
Spilker, K., see Bleich, S., 171
Stefano, G.B., see Goumon, Y., 135
Stuart, A., see Kalinowski, J., 115
Suzuki, M., see Tanida, M., 107
Szekeres, G., see Kéri, S., 69

Takasaki, M., see Shiraishi, S., 211
Takeda, R., see Yamazaki, H., 61
Tanaka, K.-i., see Miyazaki, I., 65
Tang, X., see Wang, Y., 17
Tanida, M., Iwashita, S., Ootsuka, Y., Terui, N., Suzuki, M., Leptin injection into white adipose tissue elevates renal sympathetic nerve activity dose-dependently through the afferent nerves pathway in rats, 107
Tegenthoff, M., see Schwenkreis, P., 143
Terui, N., see Tanida, M., 107
Tiihonen, J., see Yavich, L., 41
Toki, S., see Hironaka, S., 175
Tomiyama, S., see Watanabe, K.-i., 57
Torrealba, F., see Inzunza, O., 139
Tsuda, M., see Ohkuma, M., 5

Ueno, S., see Findlay, G.S., 155
Uezono, Y., see Shiraishi, S., 211
Urushihara, M., see Donai, H., 111

Vallada, H., see Meira-Lima, I.V., 103
van Egmond, J., see Jongsma, M.L.A., 83
van Rijn, C.M., see Jongsma, M.L.A., 83
van Schaijk, W.J., see Jongsma, M.L.A., 83

Wada, A., see Shiraishi, S., 211
Wahlund, L.-O., see Bretillon, L., 87
Wan, F.-J., see Huang, K.-L., 159
Wang, J.K.T., see Donai, H., 111

Wang, Y., Kong, J., Tang, X., Zhuang, D., Li, S., Event-related potential N270 is elicited by mental conflict processing in human brain, 17
Warre, R., Randall, A., Modulation of the deactivation kinetics of a recombinant rat T-type Ca^{2+} channel by prior inactivation, 216
Watanabe, K.-i., Tomiyama, S., Jinnouchi, K., Yagi, T., Detection of single-stranded DNA in the hydropic vestibule after the direct injection of antigen into the endolymphatic sac of guinea pigs, 57
Whelpton, R., see Khan, S., 179
Wilczynski, G.M., Engel, W.K., Askanas, V., Cyclin-dependent kinase 5 colocalizes with phosphorylated tau in human inclusion-body myositis paired-helical filaments and may play a role in tau phosphorylation, 33
Wiltfang, J., see Bleich, S., 171
Witscher, K., see Schwenkreis, P.,143
Wu, J.-N., see Huang, K.-L., 159

Yagi, T., see Watanabe, K.-i., 57
Yamada, K., see Nakaso, K., 49
Yamauchi, T., see Donai, H., 111
Yamazaki, H., Haji, A., Okazaki, M., Takeda, R., Immunoreactivity for glutamic acid decarboxylase and *N*-methyl-D-aspartate receptors of intracellularly labeled respiratory neurons in the cat, 61
Yanagita, T., see Shiraishi, S., 211
Yavich, L., Tiihonen, J., Patterns of dopamine overflow in mouse nucleus accumbens during intracranial self-stimulation, 41
Yokoo, H., see Shiraishi, S., 211
Yoshimoto, T., see Kanno, A., 187
Yun Lu, Z., see Manuelidis, L., 163
Yusa, T., Continuous real-time measurement of extracellular ascorbate release in the rat striatum in vivo during forebrain ischemia-reperfusion, 123

Zenz, M., see Schwenkreis, P., 143
Zhang, C., see Khalsa, P.S., 13
Zhu, W., see Goumon, Y., 135
Zhuang, D., see Wang, Y., 17